

3.  [INNOVATE](#)

[INNOVATE](#)

[INNOVATE](#)

※ [INNOVATE](#)

- 1. [INNOVATE](#)
- 2. [INNOVATE](#)
- 3. [INNOVATE](#)

[INNOVATE](#)

3. [INNOVATE](#)¹

[INNOVATE](#) INvestigation of Omalizumab in seVere Asthma TrEatment

1 **Humbert, M. et al.: Allergy 60** 3, 309, 2005 **XOLM00426**

[INNOVATE](#)

1

[INNOVATE](#)

[INNOVATE](#)

[INNOVATE](#)

4.

5.

5.1 IgE

- FEV1.0 80%
-
-

6.


7.

7.5

2 ²

PITT 28 $p=0.042$

Image



2 INNOVATE

28

3

72.2% 177/245 75.5% 179/237

27 11.0% 24 10.1% 24 9.8% 22 9.3%

3 1.3% 13 5.3% 1 0.4%

11 4.5% / / /

/ / C 1 0.4% 4

1.7% / 1 0.4%

- 1304
- 1307
- INNOVATE

□□□□□

□□□□□

□□□□

□□□□□□□□□□

□□□□□□□□□□

PFS□□□□

□□□□□□□□

□□□□□□□□□□

IC□□□□□□□□□□

IC□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□

IgE□□□□□□

Image

患者向けサイト >

気管支喘息



Source URL: https://www.pro.novartis.com/jp-ja/products/xolair/asthma/clinical_03