
































1.  1304




       























※                      

- 1.  1304
- 2.  1307
- 3.  INNOVATE

1.  1304¹ 2

- 1  **1304**  **XOLU00002**
- 2 **Ohta, K. et al.: Respirology 14** 8, 1156, 2009  **XOLJ00021**


                     

1




             



 73



 **PEF**



4.

5.

5.1

- FEV_{1.0}
-
-

6.


175 μ g/600mg \times 2 \times 4 \times 1 \times IgE
 0.008mg/kg/2 \times 2 \times 0.016mg/kg/2 \times 4

2 \times PEF

FAS 4 PEF 5

$p=0.0004$ ANCOVA

Image




ANCOVA LSMean

4 \times 14 14 \times

5 \times PEF 14

FAS PEF


Image



3 FEV1.0

FAS 16 FEV1.0 p=0.032 ANCOVA

Image



ANCOVA LSMean


4

SAF 48.3% (73/151) 38.4% (63/164) 34 (22.5%) 17 (11.3%) 15 (9.1%) 12 (7.3%) 1 (0.7%) 8 (5.3%) 2 (1.3%) C- 0.6% C4 0.7% C3 1 (0.7%) 10 (6.1%) 3 (1.8%) 2 (1.2%) 1 (0.6%)

5 ⁶ PEF

⁷ PEF ⁸ p=0.0232 ANCOVA

Image




ANCOVA LSMean

⁷ 14

⁸ PEF 14

Image




6

2
FEV1.0 80 161

6 9 FEV1.0

16 FEV1.0
p=0.008 ANCOVA

Image



ANCOVA LS Mean

9

2 FEV1.0 80 161

1. 1304
2. 1307
3. INNOVATE

PFS

IC

IC

IgE

Image



Source URL: https://www.pro.novartis.com/jp-ja/products/xolair/asthma/clinical_01