





- 0.05%<sup>\*3</sup> 0.05%<sup>\*3</sup> 4% 52% 20% 52% 28% 52% 88% 100%
- 0.05%<sup>\*3</sup> 0.05%<sup>\*3</sup> 15% 84% 52% 100%
- 0.05%<sup>\*3</sup> 0.05%<sup>\*3</sup> 15% 84% 52%
- 0.05%<sup>\*3</sup> 0.05%<sup>\*3</sup> 15% 52% 100%
- 32% 32%
- 12% 100%
- 12% 100%
- 40% 52%
- 280μm 52% 100%
- intraretinal fluid (IRF) subretinal fluid (SRF) 52% 52% 100%
- 52%
- ETDRS 2% 28% 52% 100%
- ETDRS 3% 28% 52% 100%
- ETDRS 2% 28% 52%
- ETDRS 3% 28% 52%
- ETDRS 61% 52%
- VFQ-25 Visual Function Questionnaire-25 28% 52%

\*3 ETDRS ETDRS 4m

- 100%

KITE 100% 52%

FAS FAS 12% ANOVA 6mg 2mg 95% 4% 2mg 6mg 0.025% LOCF last observation carried forward LOCF

FAS FAS 12% Kaplan-Meier 8% 8%

