

BRVO 2

BRVO 1 264 118 44.7%
78 29.5% 39 14.8% 15 5.7% 13 4.9% 11 4.2%
CRVO 1 261 96 36.8%
63 24.1% 30 11.5% 18 6.9% 12 4.6% 11 4.2%

BRVO

Image

| | | | |
|-----------|------|--------|-------|
| 安全性評価対象例数 | 264例 | | |
| 副作用発現例数 | 118例 | 副作用発現率 | 44.7% |

Image

| 副作用名 | 発現例数 (%) |
|------------|------------|
| | BRVO |
| 眼障害 | |
| 結膜出血 | 78 (29.5%) |
| 眼痛 | 39 (14.8%) |
| 飛蚊症 | 13 (4.9%) |
| 眼充血 | 11 (4.2%) |
| 眼刺激 | 11 (4.2%) |
| 眼の異物感 | 8 (3.0%) |
| 流涙増加 | 8 (3.0%) |
| 霧視 | 7 (2.7%) |
| 眼部不快感 | 4 (1.5%) |
| 点状角膜炎 | 4 (1.5%) |
| 視力障害 | 3 (1.1%) |
| 眼脂 | 3 (1.1%) |
| 核性白内障 | 2 (0.8%) |
| 眼瞼浮腫 | 2 (0.8%) |
| 角膜炎 | 2 (0.8%) |
| 眼そう痒症 | 2 (0.8%) |
| 白内障 | 1 (0.4%) |
| 複視 | 1 (0.4%) |
| 黄斑症 | 1 (0.4%) |
| 変視症 | 1 (0.4%) |
| 視力低下 | 1 (0.4%) |
| 一過性失明 | 1 (0.4%) |
| 結膜充血 | 1 (0.4%) |
| 羞明 | 1 (0.4%) |
| 光視症 | 1 (0.4%) |
| 網膜剥離 | 1 (0.4%) |
| 硝子体剥離 | 1 (0.4%) |

| 副作用名 | 発現例数 (%) |
|------------------------|-----------|
| | BRVO |
| 網膜裂孔 | 1 (0.4%) |
| 硝子体出血 | 1 (0.4%) |
| 全身障害および投与局所様態 | |
| 注射部位出血 | 1 (0.4%) |
| 注射部位疼痛 | 1 (0.4%) |
| 疼痛 | 1 (0.4%) |
| 感染症および寄生虫症 | |
| 眼内炎 | 1 (0.4%) |
| 副鼻腔炎 | 1 (0.4%) |
| 傷害、中毒および処置合併症 | |
| 角膜擦過傷 | 5 (1.9%) |
| 処置による疼痛 | 1 (0.4%) |
| 臨床検査 | |
| 眼圧上昇 | 15 (5.7%) |
| 活性化部分トロンボ プラスチン時間短縮 | 1 (0.4%) |
| 好塩基球数増加 | 1 (0.4%) |
| 血中アルカリ ホスファターゼ増加 | 1 (0.4%) |
| 尿中結晶陽性 | 1 (0.4%) |
| 神経系障害 | |
| 脳出血 | 1 (0.4%) |
| 知覚過敏 | 1 (0.4%) |
| 浮動性めまい | 1 (0.4%) |
| 精神障害 | |
| 不安 | 1 (0.4%) |
| 血管障害 | |
| 高血圧 | 1 (0.4%) |

□□□□□□□□□□CRVO□

Image

| | |
|-----------|------|
| 安全性評価対象例数 | 261例 |
| 副作用発現例数 | 96例 |

| | |
|--------|-------|
| 副作用発現率 | 36.8% |
|--------|-------|

Image

| 副作用名 | 発現例数 (%) | | 副作用名 | 発現例数 (%) | |
|-------------|------------|------|----------------------|-----------|------|
| | | CRVO | | | CRVO |
| 心臓障害 | | | 網膜障害 | 1 (0.4%) | |
| 心筋梗塞 | 1 (0.4%) | | 視力障害 | 1 (0.4%) | |
| 眼障害 | | | 硝子体剥離 | 1 (0.4%) | |
| 結膜出血 | 63 (24.1%) | | 眼の異常感 | 1 (0.4%) | |
| 眼痛 | 30 (11.5%) | | 一過性失明 | 1 (0.4%) | |
| 飛蚊症 | 12 (4.6%) | | 角膜浮腫 | 1 (0.4%) | |
| 眼刺激 | 11 (4.2%) | | 眼瞼浮腫 | 1 (0.4%) | |
| 眼部不快感 | 7 (2.7%) | | 変視症 | 1 (0.4%) | |
| 眼の異物感 | 6 (2.3%) | | 眼瞼そう痒症 | 1 (0.4%) | |
| 点状角膜炎 | 6 (2.3%) | | 硝子体混濁 | 1 (0.4%) | |
| 流涙増加 | 5 (1.9%) | | 全身障害および投与局所様態 | | |
| 眼充血 | 4 (1.5%) | | 注射部位疼痛 | 2 (0.8%) | |
| 結膜充血 | 3 (1.1%) | | 免疫系障害 | | |
| 結膜浮腫 | 2 (0.8%) | | 薬物過敏症 | 2 (0.8%) | |
| 眼出血 | 2 (0.8%) | | 傷害、中毒および処置合併症 | | |
| 羞明 | 2 (0.8%) | | 角膜擦過傷 | 2 (0.8%) | |
| 硝子体出血 | 2 (0.8%) | | 角膜瘢痕 | 1 (0.4%) | |
| 眼そう痒症 | 2 (0.8%) | | 臨床検査 | | |
| 前眼房障害 | 1 (0.4%) | | 眼圧上昇 | 18 (6.9%) | |
| 結膜炎 | 1 (0.4%) | | 神経系障害 | | |
| 角膜びらん | 1 (0.4%) | | 失神寸前の状態 | 1 (0.4%) | |
| 眼脂 | 1 (0.4%) | | 皮膚および皮下組織障害 | | |
| 虹彩炎 | 1 (0.4%) | | 接触性皮膚炎 | 1 (0.4%) | |
| 角膜症 | 1 (0.4%) | | 紅斑 | 1 (0.4%) | |

Image



□□□□□□□□□□□□□□□□

□□□□□□

Source URL: <https://www.pro.novartis.com/jp-ja/products/lucentis/sideeffect/01>