

NEN

NEN

NEN



□□□□



□□□□□□□□**NEN**□□□□□□□□□□

□□□□□□□□**NEN**□□□□□□□□□□

□□□□□□□□**NEN**□□□□□□□□□□

□□□□□

□□□□



□□□□□□□□**NEN**□□□□□□□□□□

□□□□□□□□**NEN**□□□□□□□□□□

□□□□**NEN**□□□□□□□□□□□□

□□□□□

□□□□



NEN□□□□□□□□□□□□

NEN□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□

□□□□



NEN□□□□□□□□□□□□

NEN□□□□□□□□□□□□

NEN□□□□□□□□**NEN**□□□□□□□□□□□□□□□□**CT**□**MRI**□**US**□**EUS**□□□□□□□□□□□□

□□□□

□□□□



NEN□□□□□□□□□□□□□□□□

NEN□□□□□□□□□□□□□□□□

□□□□WHO□□□□□□□□□□□□□□□□NET□□□□□□NEC□□□□□□□□□□NEN□□□□□□□□□□□□□□

□□□□□

□□□□

□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□

Source URL: <https://www.pro.novartis.com/jp-ja/products/lutathera/diagnosis>